

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: : 7/03/2023 Version: 5.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

: Mixture Product form

: EOS CobaltChrome MP1 Trade name

: 9011-0012 Product code : Allov.Powder Type of product

UFI : 5FJ9-UP9R-AC8U-J88V

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

: Industrial use Main use category

: Cobalt-based metal powder for DMLS processes in EOS M systems Use of the substance/mixture

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Electro Optical Systems Finland Oy Lemminkäisenkatu 36 20520 Turku **FINLAND** 

T +358 (0) 20 765 9144/9147 - F +358 (0) 20 765 9141

MSDSInfo@eos.info - https://www.eos.info/

#### 1.4. Emergency telephone number

: +49 (0) 89 / 893 36 - 0 (8 am - 5 pm); +49 (0) 89 / 893 36 - 151 (Mon-Thurs 9 am - 12 pm & **Emergency number** 

1 pm - 6 pm; Fri 1 pm - 4 pm (CET))

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 H319 Serious eye damage/eye irritation, Category 2 Respiratory sensitisation, Category 1 H334 Skin sensitisation, Category 1 H317 Germ cell mutagenicity, Category 2 H341 Carcinogenicity, Category 1B H350 Reproductive toxicity, Category 1B H360F Hazardous to the aquatic environment - Acute Hazard, Category 1 H400 Hazardous to the aquatic environment - Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

EN (English) 1/16

### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Contains : Cobalt

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 - Suspected of causing genetic defects.

H350 - May cause cancer. H360F - May damage fertility.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust, mist.

P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

EN (English) 2/16

### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cobalt	CAS-No.: 7440-48-4 EC-No.: 231-158-0 EC Index-No.: 027-001-00-9 REACH-no: 01-2119517392-44	60 – 65	Eye Irrit. 2, H319 Acute Tox. 4, H302 Resp. Sens. 1, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 1B, H360F Aquatic Acute 1, H400 M-factor: 10 Aquatic Chronic 1, H410 M-factor: 1
Chromium	CAS-No.: 7440-47-3 EC-No.: 231-157-5 REACH-no: 01-2119485652-31	27 – 30	Not classified
Molybdenum	CAS-No.: 7439-98-7 EC-No.: 231-107-2 REACH-no: 01-2119472304-43	5 – 7	Not classified
Silicon	CAS-No.: 7440-21-3 EC-No.: 231-130-8 REACH-no: 01-2119480401-47	0.6 – 1.0	Not classified
Manganese	CAS-No.: 7439-96-5 EC-No.: 231-105-1 REACH-no: 01-2119449803-34	0.67 – 0.9	Not classified
Nickel	CAS-No.: 7440-02-0 EC-No.: 231-111-4 EC Index-No.: 028-002-00-7 REACH-no: 01-2119438727-29	0 – 0.1	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. First-aid measures after inhalation Allow victim to breathe fresh air. Allow the victim to rest. Immediately call a POISON CENTER/doctor. First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. Get medical advice/attention. First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May damage fertility or the unborn child. May cause cancer. Suspected of causing genetic defects.
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction

Symptoms/effects after skin contact : May cause an allergic skin reaction.

EN (English) 3/16

#### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Sand.

Unsuitable extinguishing media : Carbon dioxide. Foam. Water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Fine dust clouds may form flammable/explosive mixtures with air.

Hazardous decomposition products in case of fire : Compounds of Nickel, Chromium and Cobalt.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

Refer to section 8.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid all unnecessary exposure. Avoid contact with skin, eyes and clothing. Avoid dust

formation.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment. Refer to section 8.

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials. Take up large spills with pump or vacuum. Collect spill using a vacuum

cleaner with a HEPA filter or wet and scoop up dry spills.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Take precautionary measures to prevent the formation of static electricity. Keep away from

Ignition sources. No smoking.

EN (English) 4/16

### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Precautions for safe handling	: Avoid dust formation. Avoid contact with skin and eyes. Avoid breathing dust, mist or spray.
	Obtain special instructions before use. Provide adequate ventilation to minimize dust and/or
	vapour concentrations. Do not handle until all safety precautions have been read and

understood.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Do not breathe dust. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container closed

when not in use. Store locked up.

Incompatible products : Explosive substances and articles. Mineral acids. Fluorine (F). Ammonium nitrate (AN).

Hydrazine. Performic acid (CH2O3). Sulphur. Potassium chlorate. Strong bases. Strong

acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Cobalt (7440-48-4)

#### 8.1.1 National occupational exposure and biological limit values

Cobait (7440-40-4)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.1 mg/m³	
WEL STEL (OEL STEL)	0.3 mg/m³ (calculated)	
WEL chemical category	Capable of causing cancer and/or heritable genetic damage, Capable of causing occupational asthma	
Nickel (7440-02-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Nickel metal	
IOEL TWA	0.005 mg/m³ (respirable fraction) 0.01 mg/m³ (inhalable fraction)	
Remark	SCOEL Recommendations (2011) (Year of adoption 2011)	
Regulatory reference	SCOEL Recommendations	
EU - Biological Limit Value (BLV)		
Local name	Nickel and nickel compounds	
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs	
United Kingdom - Occupational Exposure Limits		
Local name	Nickel	
WEL TWA (OEL TWA) [1]	0.1 mg/m³ and its inorganic compounds (except nickel tetracarbonyl), water-soluble nickel compounds (as Ni) 0.5 mg/m³ and its inorganic compounds (except nickel tetracarbonyl), nickel and water insoluble nickel compounds (as Ni)	

EN (English) 5/16

# Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Nickel (7440-02-0)		
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity), Carc (nickel oxides and sulphides)(Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), Sen (nickel sulphate)(Capable of causing occupational asthma. See paragraphs 53–56)	
Regulatory reference	EH40. HSE	
Chromium (7440-47-3)		
EU - Indicative Occupational Exposure Limit (IOE	L)	
Local name	Chromium metal	
IOEL TWA	2 mg/m³	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Chromium	
WEL TWA (OEL TWA) [1]	0.5 mg/m <sup>3</sup>	
WEL STEL (OEL STEL)	1.5 mg/m³ (calculated)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
United Kingdom - Biological limit values		
Local name	Chromium VI	
BMGV	10 µmol/mol creatinine Parameter: chromium - Medium: urine - Sampling time: Post shift	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Molybdenum (7439-98-7)		
United Kingdom - Occupational Exposure Limits		
Local name	Molybdenum	
WEL TWA (OEL TWA) [1]	10 mg/m³ insoluble compounds (as Mo) 5 mg/m³ soluble compounds (as Mo)	
WEL STEL (OEL STEL)	20 mg/m³ insoluble compounds (as Mo) 10 mg/m³ soluble compounds (as Mo)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Silicon (7440-21-3)		
United Kingdom - Occupational Exposure Limits		
Local name	Silicon	
WEL TWA (OEL TWA) [1]	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable dust)	
WEL STEL (OEL STEL)	12 mg/m³ (calculated-respirable dust)	
WEL STEL (OEL STEL) [ppm]	30 ppm (calculated-inhalable dust)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Manganese (7439-96-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Manganese	

EN (English) 6/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Manganese (7439-96-5)		
IOEL TWA	0.2 mg/m³ (inhalable fraction) 0.05 mg/m³ (respirable fraction) 0.2 mg/m³ (inhalable fraction) 0.05 mg/m³ (respirable fraction)	
Remark	(Year of adoption 2011)	
Regulatory reference	SCOEL Recommendations	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.2 mg/m³ 0.05 mg/m³	
WEL STEL (OEL STEL)	0.6 mg/m³ (calculated-inhalable fraction) 0.15 mg/m³ (calculated-respirable fraction)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

DNEL/DMEL (Workers)			
Acute – systemic effects, inhalation	680 mg/m³ Nickel		
Acute - local effects, inhalation	4 mg/m³ Nickel		
Long-term – local effects, dermal	0.035 mg/cm² Nickel		
Long-term – systemic effects, inhalation	0.05 mg/m³ Nickel		
Long-term – local effects, inhalation	0.05 mg/m³ Nickel		
Long-term – systemic effects, inhalation	0.04 mg/m³ Cobalt		
DNEL/DMEL (Consumer)			
Acute – systemic effects, inhalation	408 mg/m³ Nickel		
Acute – local effects, inhalation	2.4 mg/m³ Nickel		
Acute – oral	0.012 mg/kg/day Nickel		
Long-term – local effects, dermal	0.035 mg/cm² Nickel		
Long-term – systemic effects, inhalation	20 ng/m³ Nickel		
Long-term – local effects, inhalation	20 ng/m³ Nickel		
Long-term – systemic effects, oral	0.02 mg/kg/day Nickel		
Long-term – local effects, inhalation	0.0063 mg/m³ Cobalt		
Long-term – systemic effects, oral	0.0095 mg/kg/day Cobalt		
PNEC (Water)			
PNEC aqua (freshwater)	0.00051 mg/l Cobalt		
PNEC aqua (marine water)	0.00236 mg/l Cobalt		
PNEC (Sediment)			
PNEC sediment (freshwater)	9.5 mg/kg dwt Cobalt		
PNEC sediment (marine water)	9.5 mg/kg dwt Cobalt		
PNEC (Soil)			
PNEC soil	10.9 mg/kg dwt Cobalt		
PNEC (Sewage treatment plant)	PNEC (Sewage treatment plant)		
PNEC sewage treatment plant	0.37 mg/l Cobalt		
	<u> </u>		

#### 8.1.5. Control banding

No additional information available

EN (English) 7/16

#### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Dust must be extracted directly at the point of origin. Use only in well-ventilated areas.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):









#### 8.2.2.1. Eye and face protection

#### Eye protection:

Wear eye glasses with side protection according to EN 166. Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. ESD according to EN 61340-4-3 or equivalent.

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Chemical resistant gloves (according to European standard NF EN 374 or equivalent). Appropriate material: butyl rubber; nitrile rubber.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear suitable respiratory protective device with particle filter. In case of inadequate ventilation wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : Grey Appearance : Powder Odour : Odourless Odour threshold : Not applicable Melting point : Not available Freezing point : Not available : Not available Boiling point : Non flammable Flammability Explosive properties : Not explosive Oxidising properties : Not oxidizing : Not applicable Explosive limits Lower explosion limit : Not applicable Upper explosion limit : Not applicable Flash point : Not available Not available Auto-ignition temperature Decomposition temperature Not applicable рΗ Not available pH solution : Not available

EN (English) 8/16

#### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Viscosity, kinematic : Not applicable Viscosity, dynamic : Not applicable Solubility : Insoluble in water : Not available Partition coefficient n-octanol/water (Log Kow) Partition coefficient n-octanol/water (Log Pow) : Not applicable Vapour pressure : Not available Vapour pressure at 50 °C Not available Density : 4 - 4.7 g/cm<sup>3</sup> Relative density : Not available Relative vapour density at 20 °C : Not available Particle size : Not available Particle size distribution : 16 - 51 µm Particle shape : Spherical : Not available Particle aspect ratio Not available Particle aggregation state Particle agglomeration state : Not available Particle specific surface area : Not available Particle dustiness : Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Spontaneously flammable when finely dispersed.

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Hydrogen gas may be released in contact with mineral acids.

#### 10.4. Conditions to avoid

Ignition sources. Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Explosive substances and articles. Mineral acids. Fluorine (F). Ammonium nitrate. Hydrazine. Performic acid (CH2O3). Sulphur. Potassium chlorate. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

#### **EOS CobaltChrome MP1**

ATE CLP (oral) 500 mg/kg bodyweight

EN (English) 9/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

LD50 oral rat  550 mg/kg  LC50 Inhalation - Rat  > 10 mg/l (Exposure time: 1 h)  LD50 oral rat  > 5000 mg/kg Source: ECHA  > 5.41 mg/l sir Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)  LC50 Inhalation - Rat (Dust/Mist)  > 5.41 mg/l Source: ECHA    Source: ECHA	Cobalt (7440-48-4)	
Chromium (7440-47-3)  LD50 oral rat  > 5000 mg/kg Source: ECHA  > 5.41 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)  LD50 Inhalation - Rat (Dust/Mist)  > 5.41 mg/l source: ECHA  Molybdenum (7439-98-7)  LD50 oral rat  > 2000 mg/kg Source: ECHA    Source: ECHA	LD50 oral rat	550 mg/kg
LD50 oral rat    S000 mg/kg Source: ECHA	LC50 Inhalation - Rat	> 10 mg/l (Exposure time: 1 h)
LC50 Inhalation - Rat	Chromium (7440-47-3)	
LC50 Inhalation - Rat (Dust/Mist)  > 5.41 mg/l Source: ECHA  Molybdenum (7439-98-7)  LD50 oral rat  > 2000 mg/kg Source: ECHA  > 2000 mg/kg Source: ECHA  LD50 dermal ratbit  > 2000 mg/kg Source: ECHA  > 2000 mg/kg Source: ECHA  LD50 dermal rabbit  > 2000 mg/kg Source: ECHA    2000 mg/kg Source: ECHA   2	LD50 oral rat	> 5000 mg/kg Source: ECHA
Molybdenum (7439-98-7)  LD50 oral rat   > 2000 mg/kg Source: ECHA    > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)  LD50 dermal rabbit   > 2000 mg/kg Source: ECHA    > 2000 mg/kg Source: ECHA    LC50 Inhalation - Rat   (Dust/Mist)   > 3.92 mg/l Source: ECHA    Silicon (7440-21-3)  LD50 oral rat   3160 mg/kg    LD50 oral rat   3160 mg/kg    LD50 oral rat   9 g/kg    LD50 oral rat   9 g/kg    LC50 Inhalation - Rat   0 s 1.44 mg/l an Animal: rabbit    Manganese (7439-96-5)  LD50 oral rat   9 g/kg    LC50 Inhalation - Rat (Dust/Mist)   > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)   > 5.14 mg/l Source: ECHA    Skin corrosion/irritation   Not classified	LC50 Inhalation - Rat	> 5.41 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LD50 oral rat    2000 mg/kg Source: ECHA	LC50 Inhalation - Rat (Dust/Mist)	> 5.41 mg/l Source: ECHA
LD50 dermal rat    2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)   2000 mg/kg Source: ECHA	Molybdenum (7439-98-7)	
LD50 dermal rabbit > 2000 mg/kg Source: ECHA  LC50 Inhalation - Rat (Dust/Mist) > 5.84 mg/l/4h  LC50 Inhalation - Rat (Dust/Mist) > 3.92 mg/l Source: ECHA  Silicon (7440-21-3)  LD50 oral rat 3160 mg/kg  LD50 oral 3160 mg/kg  LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit  Manganese (7439-96-5)  LD50 oral rat 9 g/kg  LC50 Inhalation - Rat (Dust/Mist) > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist) > 5.14 mg/l source: ECHA  Skin corrosion/irritation : Not classified pH: Not available data, the classification criteria are not met  Chromium (7440-47-3)  pH	LD50 oral rat	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat   > 5.84 mg/l/4h    LC50 Inhalation - Rat (Dust/Mist)   > 3.92 mg/l Source: ECHA    Silicon (7440-21-3)    LD50 oral rat   3160 mg/kg    LD50 dermal rabbit   > 5000 mg/kg bodyweight Animal: rabbit    Manganese (7439-96-5)    LD50 oral rat   9 g/kg    LC50 Inhalation - Rat   > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))    LC50 Inhalation - Rat (Dust/Mist)   > 5.14 mg/l Source: ECHA    Skin corrosion/irritation   : Not classified pH: Not available    Additional information   : Based on available data, the classification criteria are not met    Chromium (7440-47-3)    pH   6.8 Source: The ECOTOXicology database    Serious eye damage/irritation   : Causes serious eye irritation. pH: Not available    Chromium (7440-47-3)    pH   6.8 Source: The ECOTOXicology database    Serious eye damage/irritation   : Causes serious eye irritation. pH: Not available    Chromium (7440-47-3)    pH   6.8 Source: The ECOTOXicology database    Serious eye damage/irritation   : Causes serious eye irritation. pH: Not available    Chromium (7440-47-3)    pH   6.8 Source: The ECOTOXicology database    Serious eye damage/irritation   : Causes serious eye irritation. pH: Not available    Chromium (7440-47-3)    pH   6.8 Source: The ECOTOXicology database    Serious eye damage/irritation   : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.    Germ cell mutagenicity   : Suspected of causing genetic defects.    Carinogenicity   : May cause cancer.	LD50 dermal rat	
LC50 Inhalation - Rat (Dust/Mist)  Silicon (7440-21-3)  LD50 oral rat  3160 mg/kg  LD50 oral rat  3160 mg/kg  LD50 dermal rabbit  Manganese (7439-96-5)  LD50 oral rat  9 g/kg  LC50 Inhalation - Rat  9 g/kg  LC50 Inhalation - Rat  > 5.14 mg/l sir Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  > 5.14 mg/l Source: ECHA  Skin corrosion/irritation  Not classified pH: Not available  Additional information  : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation  : Causes serious eye irritation. pH: Not available  Respiratory or skin sensitisation  i May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Carcinogenicity  : May cause cancer.	LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
Silicon (7440-21-3)  LD50 oral rat  J160 mg/kg  J160 mg/kg  Some mg/kg bodyweight Animal: rabbit  Manganese (7439-96-5)  LD50 oral rat  J9 g/kg  LC50 Inhalation - Rat  S5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  S5.14 mg/l Source: ECHA  Skin corrosion/irritation  Not classified pH: Not available data, the classification criteria are not met  Chromium (7440-47-3)  PH  S8.8 Source: The ECOTOXicology database  Serious eye damage/irritation  Chromium (7440-47-3)  PH  S8.8 Source: The ECOTOXicology database  Chromium (7440-47-3)  Chromium (7440-47-3)  S8.9 Gause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  Suspected of causing genetic defects.  Cobalt (7440-48-4)	LC50 Inhalation - Rat	> 5.84 mg/l/4h
LD50 oral rat  LD50 oral  3160 mg/kg  LD50 dermal rabbit  > 5000 mg/kg bodyweight Animal: rabbit  Manganese (7439-96-5)  LD50 oral rat  9 g/kg  LC50 Inhalation - Rat  9 g/kg  LC50 Inhalation - Rat  > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  > 5.14 mg/l Source: ECHA  Skin corrosion/irritation  : Not classified pH: Not available Additional information : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects. Carcinogenicity : May cause cancer.	LC50 Inhalation - Rat (Dust/Mist)	> 3.92 mg/l Source: ECHA
LD50 oral  3160 mg/kg  > 5000 mg/kg bodyweight Animal: rabbit  Manganese (7439-96-5)  LD50 oral rat  9 g/kg  LC50 Inhalation - Rat  > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  > 5.14 mg/l Source: ECHA  Skin corrosion/irritation  : Not classified ph: Not available Additional information  : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database	Silicon (7440-21-3)	
LD50 dermal rabbit > 5000 mg/kg bodyweight Animal: rabbit  Manganese (7439-96-5)  LD50 oral rat 9 g/kg  LC50 Inhalation - Rat > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist) > 5.14 mg/l Source: ECHA  Skin corrosion/irritation : Not classified pH: Not available Additional information : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Serious eye damage/irritation : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Ceromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Serious eye damage/irritation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects.  Crobalt (7440-48-4)	LD50 oral rat	3160 mg/kg
Manganese (7439-96-5)  LD50 oral rat  9 g/kg  LC50 Inhalation - Rat  > 5.14 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  > 5.14 mg/l Source: ECHA  Skin corrosion/irritation  : Not classified pH: Not available Additional information  : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation  : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Cobalt (7440-48-4)	LD50 oral	3160 mg/kg
LD50 oral rat  LD50 Inhalation - Rat  LC50 Inhalation - Rat  LC50 Inhalation - Rat  LC50 Inhalation - Rat (Dust/Mist)  Skin corrosion/irritation  Additional information  Sased on available data, the classification criteria are not met  Chromium (7440-47-3)  PH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation  Chromium (7440-47-3)  PH  6.8 Source: The ECOTOXicology database  Causes serious eye irritation.  pH: Not available  Chromium (7440-47-3)  PH  6.8 Source: The ECOTOXicology database  Causes serious eye irritation.  pH: Not available  Chromium (7440-47-3)  PH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation  Suspected of causing genetic defects.  Carcinogenicity  Suspected of causing genetic defects.  Cobalt (7440-48-4)	LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	Manganese (7439-96-5)	
Guideline: EU Method B.2 (Acute Toxicity (Inhalation))  LC50 Inhalation - Rat (Dust/Mist)  > 5.14 mg/l Source: ECHA  Skin corrosion/irritation  : Not classified pH: Not available Additional information  : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation  : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Cobalt (7440-48-4)	LD50 oral rat	9 g/kg
Skin corrosion/irritation  : Not classified pH: Not available  Additional information  : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Serious eye damage/irritation  : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Carcinogenicity  : May cause cancer.  Cobalt (7440-48-4)	LC50 Inhalation - Rat	· · · · · · · · · · · · · · · · · · ·
pH: Not available Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Serious eye damage/irritation : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects. Carcinogenicity : May cause cancer.  Cobalt (7440-48-4)	LC50 Inhalation - Rat (Dust/Mist)	> 5.14 mg/l Source: ECHA
Additional information : Based on available data, the classification criteria are not met  Chromium (7440-47-3)  pH	Skin corrosion/irritation :	
pH 6.8 Source: The ECOTOXicology database  Serious eye damage/irritation : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH 6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects.  Carcinogenicity : May cause cancer.  Cobalt (7440-48-4)	Additional information :	·
Serious eye damage/irritation : Causes serious eye irritation. pH: Not available  Chromium (7440-47-3)  pH	Chromium (7440-47-3)	
pH: Not available  Chromium (7440-47-3)  pH  6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Carcinogenicity  : May cause cancer.  Cobalt (7440-48-4)	рН	6.8 Source: The ECOTOXicology database
PH 6.8 Source: The ECOTOXicology database  Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects.  Carcinogenicity : May cause cancer.  Cobalt (7440-48-4)	Serious eye damage/irritation :	·
Respiratory or skin sensitisation  : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  Germ cell mutagenicity  : Suspected of causing genetic defects.  Carcinogenicity  : May cause cancer.  Cobalt (7440-48-4)	Chromium (7440-47-3)	
allergic skin reaction.  Germ cell mutagenicity : Suspected of causing genetic defects.  Carcinogenicity : May cause cancer.  Cobalt (7440-48-4)	рН	6.8 Source: The ECOTOXicology database
Carcinogenicity : May cause cancer.  Cobalt (7440-48-4)		allergic skin reaction.
Cobalt (7440-48-4)		
		may oddoo odiilooi.
	IARC group	2B - Possibly carcinogenic to humans
Nickel (7440-02-0)		
IARC group 2B - Possibly carcinogenic to humans		2B - Possibly carcinogenic to humans
Chromium (7440-47-3)	Chromium (7440-47-3)	
IARC group 3 - Not classifiable	IARC group	3 - Not classifiable

EN (English) 10/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Reproductive toxicity :	May damage fertility.
Cobalt (7440-48-4)	
NOAEL (animal/female, F0/P)	100 mg/kg bodyweight
STOT-single exposure : Additional information :	Not classified Based on available data, the classification criteria are not met
STOT-repeated exposure : Additional information :	Not classified Based on available data, the classification criteria are not met
Nickel (7440-02-0)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Chromium (7440-47-3)	
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	≥ 0.0044 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	1216 mg/kg bodyweight/day (Ivankovic, S. and R. Preussman, 1975, Food Cosmet Toxicol.13(3): 347-51)
Molybdenum (7439-98-7)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.1 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
Silicon (7440-21-3)	
NOAEL (oral, rat, 90 days)	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male
Aspiration hazard : Additional information :	Not classified Based on available data, the classification criteria are not met
EOS CobaltChrome MP1	
Viscosity, kinematic	Not applicable

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

#### 11.2.2. Other information

Potential Adverse human health effects and symptoms

: Harmful if swallowed.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

(ornorno)	
Cobalt (7440-48-4)	
LC50 - Fish [1]	> 1.512 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
ErC50 algae	0.0241 mg/l Exposure time: 7d
NOEC (chronic)	0.003 mg/l (Exposure time: 28-day, reproduction and survival, Daphnia magna)
NOEC chronic fish	0.003 mg/l (Exposure time: 28-day, reproduction and survival, Daphnia magna)
NOEC chronic crustacea	≤ 0.05 mg/l (Exposure time: 21-day, reproduction and survival, Daphnia magna)
NOEC chronic algae	0.0018 mg/l Exposure time: 7d

EN (English) 11/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Chromium (7440-47-3)	
LC50 - Fish [1]	13.9 – 210 mg/l Source: GESTIS
EC50 - Crustacea [1]	13.1 – 14.7 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.1 – 17.8 mg/l Source: GESTIS
Molybdenum (7439-98-7)	
LC50 - Fish [1]	609.1 mg/l Source: EHCA
EC50 72h - Algae [1]	289.2 mg/l Source: ECHA
Silicon (7440-21-3)	
EC50 72h - Algae [1]	≈ 250 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Manganese (7439-96-5)	
LC50 - Fish [1]	> 3.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 - Crustacea [1]	> 1.6 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	4.5 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	2.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	1.7 mg/l Test organisms (species): Ceriodaphnia dubia Duration: '8 d'

## 12.2. Persistence and degradability

EOS CobaltChrome MP1	
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances. May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

EOS CobaltChrome MP1		
Partition coefficient n-octanol/water (Log Pow)	Not applicable	
Bioaccumulative potential	Not established.	
Cobalt (7440-48-4)		
BCF - Fish [1]	(no bioaccumulation)	
Molybdenum (7439-98-7)		
Partition coefficient n-octanol/water (Log Pow)	0.23 Source: SRC Access on Jan 2006	
Chromium (7440-47-3)		
Partition coefficient n-octanol/water (Log Pow)	0.23 Source: SRC	

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

EN (English) 12/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

#### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3077	UN 3077	UN 3077	UN 3077	UN 3077	
14.2. UN proper shippin	14.2. UN proper shipping name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Transport document descr	iption				
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, (E)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III, MARINE POLLUTANT	UN 3077 Environmentally hazardous substance, solid, n.o.s., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III	
14.3. Transport hazard	14.3. Transport hazard class(es)				
9	9	9	9	9	
¥2				9	
14.4. Packing group					
III	III	III	III	III	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	n available				

## 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

EN (English) 13/16

#### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions (ADR) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP

(ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V13
Special provisions for carriage - Bulk (ADR) : VC1, VC2
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3077

Tunnel restriction code (ADR) : E EAC code : 2Z

Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

Special packing provisions (IMDG) : PP12

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP, A
Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : \* Only in the molten state. \*\* For carriage in bulk see also 7.1.4.1. \*\* \* Only in the case of

transport in bulk.

Rail transport

Classification code (RID) : M7

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg Excepted quantities (RID) : E1

EN (English) 14/16

#### Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : PP12, B3 Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1, BK1, BK2, BK3

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W13
Special provisions for carriage – Bulk (RID) : VC1, VC2
Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 90

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
27.	EOS CobaltChrome MP1 ; Nickel	

#### **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

#### Indication of changes:

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II).

Sources of Key data : Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation

(EC) No 1907/2006 (et sequens).

Other information : None.

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	

EN (English) 15/16

## Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Full text of H- and EUH-statements:		
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H351	Suspected of causing cancer.	
H360F	May damage fertility.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Resp. Sens. 1	Respiratory sensitisation, Category 1	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Acute Tox. 4 (Oral)	H302		
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Muta. 2	H341	Calculation method	
Carc. 1B	H350	Calculation method	
Repr. 1B	H360F	Calculation method	
Aquatic Acute 1	H400	Calculation method	
Aquatic Chronic 1	H410	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English) 16/16