

Trade name: EOS Titanium Ti64 / Ti64ELI

Product no.: 9011-0014 / 0017 Current version: 5.1.2. issued: 25.08.2023

Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Trade name

## **EOS Titanium Ti64 / Ti64ELI**

UFI: R400-H1RN-R00Q-E04K

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Ti6Al4V prealloyed powder for DMLS processes in EOS M systems

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### **Address**

Electro Optical Systems Finland Oy

Lemminkäisenkatu 36 20520 Turku

**FINLAND** 

Telephone no. +358 (0) 20 765 9144 / 9147 +358 (0) 20 765 9141 Fax no.

#### Information provided by / telephone

+49 (0) 89 / 893 36 - 0

## **Advice on Safety Data Sheet**

MSDSInfo@eos.info

#### 1.4 **Emergency telephone number**

+49 (0) 89 / 893 36 - 0 (8 am - 5 pm)

+49 (0) 89 / 893 36 - 151 (Mo - Thu: 9 am - 12 pm & 1 - 6 pm; Fr: 1 - 4 pm) (CET)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Flam. Sol. 1; H228

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

## <u>Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)</u>

#### Hazard pictograms



## Signal word

Danger

#### Hazard statement(s)

Flammable solid. H228

Precautionary statement(s)

Trade name: EOS Titanium Ti64 / Ti64ELI

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/ equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use dry sand or metal fire powder to extinguish. Never use water.

#### 2.3 Other hazards

No data available.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

## **Chemical characterization**

titanium alloy powder

**Hazardous ingredients** 

No	Substance name Additional informatio		n			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration		%	
	REACH no					
1	aluminium powder (stabilised)					
	7429-90-5	Flam. Sol. 1; H228	>=	5.00 - <	10.00	wt%
	231-072-3	Water-react. 2; H261				
	013-002-00-1					
	01-2119529243-45					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	Т	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

## **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

When in contact with the skin, clean with soap and water.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Get medical attention if pain still persists.

#### After ingestion

Rinse the mouth thoroughly with water. Drink plenty of water. Do not induce vomiting. Call a doctor. Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

No data available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

Trade name: EOS Titanium Ti64 / Ti64ELI

Product no.: 9011-0014 / 0017

Current version: 5.1.2. issued: 25.08.2023 Replaced version

Current version: 5.1.2, issued: 25.08.2023 Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

#### 5.1 Extinguishing media

#### Suitable extinguishing media

special powder against burning metal

#### Unsuitable extinguishing media

Water; Carbon dioxide; ABC powder; Foam

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid dust formation. Keep away from ignition sources.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

## 6.3 Methods and material for containment and cleaning up

Take up mechanically. Send in suitable containers for recovery or disposal. Clean thoroughly.

## 6.4 Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

### Advice on safe handling

Observe the usual precautions for handling chemicals. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid dust formation.

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale dust. Remove soiled or soaked clothing immediately. Avoid contact with eyes and skin.

## Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of ignition - refrain from smoking.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect against mechanical damage. Protect from atmospheric moisture and water.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Do not store together with: oxidizing agents; Acids; Halogens; oxidizing substances

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version :** 5.1.2, issued: 25.08.2023

Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

## 8.1 Control parameters

## Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	aluminium powder (stabilised)	7429-90-5		231-072-3		
	List of approved workplace exposure limits (WELs) / EH40					
	Aluminium metal					
	total inhalable dust					
	WEL long-term (8-hr TWA reference period)	10	mg/m³			
	List of approved workplace exposure limits (WELs) / EH40					
	Aluminium metal					
	respirable dust					
	WEL long-term (8-hr TWA reference period)	4	mg/m³			

## **DNEL, DMEL and PNEC values**

**DNEL values (worker)** 

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	aluminium powder (stabilised)			7429-90-5	
	,			231-072-3	
	inhalative	Long term (chronic)	systemic	3.72	mg/m³
	inhalative	Long term (chronic)	local	3.72	mg/m³

**DNEL value (consumer)** 

No	Substance name			CAS / EC no	0
	Route of exposure			Value	
1	titanium		7440-32-6	7440-32-6	
				231-142-3	
	oral	Long term (chronic)	systemic	350	mg/kg/day
2	aluminium powder (stabilised)		7429-90-5		
				231-072-3	
	oral	Long term (chronic)	systemic	7.9	mg/kg/day

## **PNEC** values

No	Substance name			
	ecological compartment	Туре	Value	
1	titanium		7440-32-6	
			231-142-3	
	water	fresh water	0.076	mg/L
	water	marine water	0.6	mg/L
	water	fresh water sediment	600	mg/kg dry
				weight
	water	marine water sediment	60	mg/kg dry
				weight
	water	Aqua intermittent	0.37	mg/L
	soil	-	60	mg/kg dry
				weight
	sewage treatment plant	-	60	mg/L
2	aluminium powder (stabilised)		7429-90-5	
			231-072-3	
	water	fresh water	74.9	μg/L
	sewage treatment plant	-	20	mg/L

## 8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version :** 5.1.2, issued: 25.08.2023

Current version: 5.1.2, issued: 25.08.2023 Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified. Respirator with particulate filter (filter cat. P 3)

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

## Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material nitrile rubber

Breakthrough time >= 480 min

#### Other

Wear fully closed, flame retardant clothing. Closed ESD safety footwear (ESD according to EN 61340-4-3 or equivalent).

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

State of aggregation			
solid			
Form			
Powder			
Colour			
grey			
Odour			
odourless			
pH value			
No data available			
Boiling point / boiling range			
Value	>	3260	°C
Melting point/freezing point			
Value		1670	°C
Decomposition temperature			
No data available			
Flash point			
not determined			
Ignition temperature			
Value		730	°C
Auto-ignition temperature			
not determined			
Explosive properties			
Product is explosive.			
Flammability			
No data available			
Lower explosion limit			
Value		60	g/m³

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version :** 5.1.2, issued: 25.08.2023

Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

#### **Upper explosion limit**

No data available

#### Vapour pressure

No data available

#### Relative vapour density

No data available

## Relative density

No data available

## Density

Value 4.51 g/cm<sup>3</sup>

#### Solubility in water

Comments insoluble

#### Solubility

No data available

## Partition coefficient n-octanol/water (log value)

No data available

#### Kinematic viscosity

No data available

#### **Particle characteristics**

No data available

#### 9.2 Other information

## Other information

Minimum ignition energy (MIE) with inductivity: 10-30 mJ

smouldering temperature: > 400 °C

Class number: BZ 3

Max. explosion overpressure (pmax): 6.2 bar KSt value/dust explosion class (St): 75 bar m/s

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

No data available.

## 10.3 Possibility of hazardous reactions

No data available.

## 10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect against humidity.

#### 10.5 Incompatible materials

Oxidizing agents; Halogens; Acids; Reactions with oxidizing substances; Contact with water or moisture liberates flammable gases.

#### 10.6 Hazardous decomposition products

Hydrogen

## **SECTION** 11: Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute oral toxicity

No data available

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version:** 5.1.2, issued: 25.08.2023

Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

## Acute dermal toxicity

No data available

Acute inhalational toxicity						
No	Substance name	CAS no	).	EC no.		
1	aluminium powder (stabilised)	7429-90	)-5	231-072-3		
LC5	0	>	0.88	mg/l		
Duration of exposure			4	h		
State of aggregation		Dust/mist				
Species		rat				
Source		ECHA				
Eval	uation/classification	Based on available da	ita, the classification	n criteria are not met.		

## Skin corrosion/irritation

No data available

## Serious eye damage/irritation

No data available

### Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Reproduction toxicity

No data available

#### Carcinogenicity

No data available

## STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### **Aspiration hazard**

No data available

## Symptoms related to the physical, chemical and toxicological characteristics

Eye contact may cause mechanical irritation through dust particles.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of dusts may irritate the respiratory tract.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

No data available.

## Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

#### Toxicity to fish (acute)

No data available

## Toxicity to fish (chronic)

No data available

## Toxicity to Daphnia (acute)

No data available

## Toxicity to Daphnia (chronic)

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version :** 5.1.2, issued: 25.08.2023

Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

No data available

#### Toxicity to algae (acute)

No data available

## Toxicity to algae (chronic)

No data available

### **Bacteria toxicity**

No data available

### 12.2 Persistence and degradability

No data available.

## 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

Ecological data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

## 14.1 Transport ADR/RID/ADN

Class 4.1
Classification code F3
Packing group II
Hazard identification no. 40
UN number UN3089

Proper shipping name METAL POWDER, FLAMMABLE, N.O.S.

Tunnel restriction code E Label 4.1

14.2 Transport IMDG

Class 4.1
Packing group II
UN number UN3089

Proper shipping name METAL POWDER, FLAMMABLE, N.O.S.

EmS F-G, S-G Label 4.1

Trade name: EOS Titanium Ti64 / Ti64ELI

**Product no.:** 9011-0014 / 0017 **Current version :** 5.1.2, issued: 25.08.2023

Current version: 5.1.2, issued: 25.08.2023 Replaced version: 5.1.1, issued: 29.08.2022 Region: GB

#### 14.3 Transport ICAO-TI / IATA

Class 4.1
Packing group II
UN number UN3089

Proper shipping name Metal powder, flammable, n.o.s.

Label 4.1

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

## 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

## Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	aluminium powder (stabilised)	7429-90-5	231-072-3	75

#### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H261 In contact with water releases flammable gases.

Trade name: EOS Titanium Ti64 / Ti64ELI

 Product no.: 9011-0014 / 0017

 Current version: 5.1.2, issued: 25.08.2023
 Replaced version: 5.1.1, issued: 29.08.2022
 Region: GB

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008,

Annex

This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.